Trutek Fasteners Polska Wojska Polskiego 3 39-300 Mielec Polska



Safety Data Sheet

1. Identification of the Preparation and the Company

Product Name: Injection Cartridge FX TE 500

Typical application Heavy duty anchoring free of expansion pressure

Company Name: Trutek Fasteners Polska

Wojska Polskiego 3 Mielec 39-300 Polska

Telephone/Fax: +48227019325 E-mail address: info@trutek.com.pl

2. Hazards Identification

Xi Irritant

N Dangerous for the environment

C Corrosive Xn Harmful

Information particular dangers for man and environment

Warning! Irritant: Product contains chemicals known to cause skin and eye irritation and may cause sensitization by skin contact.

GHS 07

GHS 09

GHS Classification: Skin corrosion/irritation, Category 2

Serious eye damage/irritation, Category 2

Skin sensitisation, Category 1 Acute aquatic toxicity, Category 3

GHS Label Elements
Signal Word: Warning

R20/22 Harmful by inhalation and if swallowed

R36/38 Irritating to eyes and skin
R41 Risk of serious damage to eyes.

R43 May cause sensitiveness by skin contact.

R51/53 Toxic to aquatic organisms,may cause long-term adverse effects in aquatic environment.

R52/53 Harmful to aquatic organisms,any cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

3. Composition on Ingredients

Mixtures

Ingredient	Cas Number	Percent	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Reach Registration number
Ingredients -part A (resin)				
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	<70%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1B (H317) Aquatic Chronic 2 (H411)	01-2119456619-26
Fused Silica	60676-86-0	20- <30%	-	Exempt
Silicon Dioxide	7631-86-9	< 5 %	-	
Ingredients -part B (hardener)				
Polyaminoamide	68082-29-1	50%	Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	-
Fused Silica	60676-86-0	40%	-	Exempt
Silicon Dioxide	7631-86-9	10%	-	

4. First Aid Measures

General information: Remove contaminated, saturated clothing immediately.

Skin contact: Remove contaminated clothing immediately. Wash contaminated areas with plenty of

water and soap and rinse with water.

Do not use any solvent. Seek medical attention if irritation develops or persists.

Eye contact: Flush with plenty of water for at least 15 minutes. Hold eyelids apart to ensure rinsing of

Trutek Fasteners Polska Wojska Polskiego 3 39-300 Mielec Polska



Safety Data Sheet

the entire surface of the eyes and lids with water. Seek medical attention if irritation persists.

Ingestion: Do not induce vomiting. If swallowed, drink plenty of water. Seek medical attention

immediately.

5. Fire Fighting Measures

Suitable extinguishing Media: Foam, water spray, carbon dioxide, dry power extinguisher.

Not suitable extinguishing Media: Water applied with full jet.

Exposure hazards: Avoid breathing vapors and fumes. Toxic fumes formed during decomposition (carbon

oxides) may cause severe health hazard. Contact with combustible material may cause fire.

Special protective equipment: Use breathing apparatus with independent air supply.

Other information: Remove product off fire area Contaminated firefighting water must not be discharged into

the drainage system.

6. Accidental Release Measures

Personal protection: Ensure adequate ventilation. Keep away sources of ignition. Use personal protective equipment.

Environmental protection: Do not allow to enter into soil/subsoil.

Do not allow to enter drains/surface water/groundwater.

7. Handling & Storage

Handling: Provide good ventilation of the workroom. Keep work clothes separate. Avoid contact with

skin or eyes. Do not breath. Keep away from heat source of ignition as well as from open fire.

Storage: Store in dry and cool conditions away from direct sunlight or strong oxidizers.

Keep in the original package at temperature 5 to 25°C.

8. Exposure Control / Personal Protection

Protective provisions: Provide good ventilation of the workroom.

Personal protective Respiratory protection: Wear suitable respiratory apparatus.

Equipment: Hand protection: Wear rubber or plastic coated gloves, however due to its concept of

packaging, the material unmixed should not be in contact with skin.

 $Eyes\ protection:\ Safety\ glasses/goggles\ or\ face\ shield\ advised,\ particularly\ when\ work$

overhead.

Skin protection: Wear suitable protective clothing. Wash hand after each work period and

before eating.

Trutek Fasteners Polska Wojska Polskiego 3 39-300 Mielec



Safety Data Sheet

9. Physical & Chemical Properties

Appearance: PASTE

Color: Resin: Red; Hardener: White

Odor: Low

Viscosity (25°C) 100~120 Pa.s (Part A+B mixed) Density: 1.60~1.65 (part A+B mixed)

PH: Not Applicable
Water: Insoluble
Flash point: Not applicable

10. Stability & Reactivity

Condition to avoid: No decomposition if used as prescribed.

Material to avoid: Dangerous reactions with isocyanate, anthydrides, acids, oxidizing agents.

 $Hazardous\ decomposition\ products:\ Nitrogen\ oxides (N0x).$

11. Toxicological Information

Inhalation: LD50/LC50 values which are relevant for classification: The product has been not tested.

Irritant effects: On contact with the skin or respiratory organs irritation is possible.

12. Ecological Information

Ecological effects: Toxic respectively harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

13. Disposal Considerations

Product Packaging: Can be incinerated in compliance with local regulations. Contaminated packaging material

should be disposed as identically to the product itself. Non contaminated packaging material

should be treated as household waste or as recycling material.

Cured material may be considered insert and disposed of as builders waste.

14. Transport Informations

Classification:

Land transport ADR/RID/GGVS/GGVE: Not considered as dangerous goods.

Inland navigation AND/ADNR: Not considered as dangerous good Transport by sea IMDG/GGVSea: Not considered as dangerous good Air transport ICAO/IATA: Not considered as dangerous good

15. Regulatory Information

Component A: Classification according to EC Council Directives 1999/45/EG

Symbol: Xi

Classification: N-Dangerous for the environment

Dangerous components: 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane, CAS NO: 1675-54-3

R-Phrases:

R36/38: Irritating to eyes and skin.
R41: Risk of serious damage to eyes.
R43: May cause sensitisation by skin contact

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-Phrases:

S1/2: Keep locked up and out of the reach of children.

S24: Avoid contact with skin.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S29/35 Do not empty into drains, dispose of this material and its container in a safe way.

S37/39: wear suitable gloves and eye/face protection.

S46 If swallowed, seek medical advice immediately and show this container or label.
S61: Avoid release to the environment. Refer to special instructions/safety data sheets.

Trutek Fasteners Polska Wojska Polskiego 3 39-300 Mielec Polska



Safety Data Sheet

Component B: Classification according to EC Council Directives 1999/45/EG

Symbol: Xi

Classification: N-Dangerous for the environment Components: Polyaminoamide,CAS NO: 68082-29-1

R-Phrases:

R36/38: Irritating to eyes and skin.
R41: Risk of serious damage to eyes.
R43: May cause sensitisation by skin contact

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-Phrases:

S1/2: Keep locked up and out of the reach of children.

S24: Avoid contact with skin.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately.
 S61: Avoid release to the environment. Refer to special instructions/safety data sheets.

16. Other Information

Recommended use: Refer to the current technical data sheet.

Further information: This product must be handled only by personal well informed of safety conditions.

The above information is based on our present knowledge, and is intended to describe the

product in terms of health & safety requirements only.

No liability is accepted for any injury, loss, damage or cost arising directly or indirectly from tries. Use of information of this since the customer's treatment of product is necessarily out of our control. The data given above is based upon products is terms of their safety

requirements.

It does not guarantee the properties of the products described.

Date Prepared: 2023-JAN.

Prepare by: Technical Service Department